




# maxiflex Emporium Party and Exhibition Hall

Type: 15.5/680 · Model: 659



## System Measures

Width	(A)	15.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	9.11 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		7.98 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)

## Load Requirements/Technical Data


Wind loads acc. to	DIN EN 13782
Minimum assembly length	10.00 m
Maximum assembly length	unlimited in truss-distance

Subject to technical modifications!



# maxiflex Emporium Party and Exhibition Hall

Type: 10.5/680 · Model: XXX



## System Measures

Width	(A)	10.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	8.29 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		6.43 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)

## Load Requirements/Technical Data


Wind loads acc. to	DIN EN 13782
Minimum assembly length	10.00 m
Maximum assembly length	unlimited in truss-distance

Subject to technical modifications!



# maxiflex Emporium Party and Exhibition Hall

Type: 15.5/680 · Model: 659



## System Measures

Width	(A)	15.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	9.11 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		7.98 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)

## Load Requirements/Technical Data


Wind loads acc. to	DIN EN 13782
Minimum assembly length	10.00 m
Maximum assembly length	unlimited in truss-distance

Subject to technical modifications!



# maxiflex Emporium Party and Exhibition Hall

Type: 20.5/680 · Model: XXX



## System Measures

Width	(A)	20.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	9.92 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		10.61 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)

## Load Requirements/Technical Data

Wind loads acc. to	DIN EN 13782
Minimum assembly length	20.00 m
Maximum assembly length	
unlimited in truss-distance	


Subject to technical modifications!



LOSBERGER DE BOER

# maxiflex Emporium Party and Exhibition Hall

Type: 25.5/680 · Model: 622



## System Measures

Width	(A)	25.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	10.74 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		10.61 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)

## Load Requirements/Technical Data


Wind loads acc. to	DIN EN 13782
Minimum assembly length	20.00 m
Maximum assembly length	unlimited in truss-distance

Subject to technical modifications!



# maxiflex Emporium Party and Exhibition Hall

Type: 30.5/680 · Model: 882



## System Measures

Width	(A)	30.18 m
Emporium height	(E)	3.22 m
Eave height	(C)	6.64 m
Ridge height	(D)	11.55 m
Gable truss	(B1)	5.09 m
Gable truss	(B2)	5.00 m
Truss-distance	(B3)	5.00 m
Roof slope		18.00 °
Longest component		10.61 m
Truss profile		300 x 120 mm

## Technical Description

### Aluminium Profiles

Solid, hard pressed  
4-groove aluminium hollow profile

### Steel Parts

Hot-dip galvanized according to DIN EN ISO 1461

### Ground Anchoring

Ground stakes or weight anchoring upon request

### Ceiling Sub-construction

Laminated wooden beams

### Floor Upper Storey

Three-ply wooden boards (27 mm thick)


## Load Requirements/Technical Data

Wind loads acc. to	DIN EN 13782
Minimum assembly length	25.00 m
Maximum assembly length	unlimited in truss-distance

Subject to technical modifications!

## Product Line Overview

### Emporium




Emporium height 3,22 m

Type	Width (A) m	Eave height (C) m	Ridge height (D) m	Roof slope °	Longest component m
10.5/680	10.18	6.64	8.29	18.00	6.43
15.5/680	15.18	6.64	9.11	18.00	7.98
20.5/680	20.18	6.64	9.92	18.00	10.61
25.5/680	25.18	6.64	10.74	18.00	10.61
30.5/680	30.18	6.64	11.55	18.00	10.61

## Product Line Overview

### Emporium Arcum



Emporium height 3,22 m

Type	Width (A) m	Eave height (C) m	Ridge height (D) m	Roof slope °	Longest component m
15.5/680	15.19	6.64	8.05	-	9.86
20.5/680	20.19	6.64	8.86	-	9.86
25.5/680	25.19	6.64	9.67	-	9.86
30.5/680	30.19	6.64	10.49	-	9.86



LOSBERGER DE BOER